

The diagram illustrates a printing system. A paper sheet enters from the left, passing over a large feed roller (8) and under a guide roller (7). It then moves horizontally between two vertical guides (6) towards a print head assembly (9). The print head assembly includes multiple nozzles (5) mounted on a carriage (4) that can move vertically along a guide rail (3). A dashed horizontal line labeled 'CL' indicates the central axis of the print area. Below the main paper path, there is a series of rollers (13, 15, 14, 12, 11) and a motor or actuator (16) connected by a belt or cable system.

Nobuyuki Suda


Q85358

Filed: December 16, 2004

For: TIRE CONSTRUCTION MEMBER PRO-  
DUCING METHOD AND DEVICE THEREFOR

2 OF 7

FIG. 2




Nobuyuki Suda

Q85358~

Filed: December 16, 2004

For: TIRE CONSTRUCTION MEMBER PRO-  
DUCING METHOD AND DEVICE THEREFOR

3 OF 7

*FIG. 3*

Filed: December 16, 2004

For: TIRE CONSTRUCTION MEMBER PRO-  
DUCING METHOD AND DEVICE THEREFOR

4 OF 7

**FIG. 4**




FIG. 5





FIG. 6



Nobuyuki Suda


Q85358

Filed: December 16, 2004

For: TIRE CONSTRUCTION MEMBER PRO-  
DUCING METHOD AND DEVICE THEREFOR

6 OF 7

FIG. 7




Nobuyuki Suda

Q85358

Filed: December 16, 2004

For: TIRE CONSTRUCTION MEMBER PRO-  
DUCING METHOD AND DEVICE THEREFOR

7 OF 7

*FIG. 8*